



Herringbone Table Runner

Skill Level: Beginner

Designed By
Karin Jordan
Sewn By
Karin Jordan

<http://www.leighlaurelstudios.com>



This long table runner was designed for fall, but can easily be adapted into any color scheme. It goes together quickly and would be a fun project for a beginning to intermediate quilter. Finished size is 35.6cm x 134cm (14" x 54").

Fabrics Needed

Cotton fabric
Triangle of cotton fabric
Backing
Binding

.5 meter each of eleven fabrics
Cut one using template
One 45.7cm x 147.3cm rectangle (piece if necessary)
.25 meter

Materials Needed

Legacy L-FB-96 100% Natural Cotton Batting
50 weight Cotton thread
Safety pins

.5 meter

Tools Needed

Sewing machine and related supplies
Rotary cutter and related supplies

<http://www.createwithlegacy.com>

Graphic Artist Alexandra Henry
PERMISSION IS GIVEN TO REPRODUCE FOR PERSONAL USE ONLY

Instructions

Use 1/4" seam allowances throughout.

Step 1. Cut a total of eighty 1-1/2" x 12" strips from the eleven fabrics.




Step 2. Place the cotton triangle (cut using the template on page 6) right side up on a flat surface. Align the first strip on the left edge of the triangle, with right sides together. Stitch.



Step 3. Flip and press seam to side toward triangle.



Step 4. Align the second strip as shown. Stitch.



Step 5. Flip and press seam toward triangle.




Step 6. On a flat surface, arrange the remaining strips as desired.



Step 7. Continue adding strips, alternating left and right until all strips are sewn. Press each seam towards the previous strip sewn.



Step 8. Repress all seams. Straighten and square up the table runner. Trim the sides evenly so the runner is a perfect rectangle.



Step 9. Cut two 18" x 29" rectangles of backing. Place the rectangles right sides together and stitch along one 18" side. Press seam to one side. Cut one 18" x 58" rectangle of batting.

Step 10. Place backing right side down on a large flat surface. Add the batting, then center the top. Smooth out, square up and pin baste using safety pins.



Step 11. Straight line quilt, 1/2" apart or quilt as desired.



Step 12. Bind quilt.



Triangle Template

Set printer to 100%, actual size.

